

# Shanghai Baitu Cryogenic Valve Co., Ltd.

Ведущий китайский производитель криогенных клапанов



百图低温阀门  
BAITU CRYOGENIC VALVE

# О КОМПАНИИ

*Ваш надежный партнер, а не просто завод!*



Завод в Шанхае



Завод в Цзянсу



Завод в Аньхой

Основанная в 2010 году, компания Shanghai Baitu Cryogenic Valve Co., Ltd. специализируется на производстве широкого ассортимента криогенных клапанов для использования, транспортировки и хранения криогенных газов. С момента своего основания компания сохраняет динамику быстрого роста и развития. Сейчас компания владеет тремя производственными предприятиями в Шанхае, провинциях Цзянсу и Аньхой.

В настоящее время Shanghai Baitu Cryogenic Valve Co., Ltd. является ведущим китайским разработчиком и производителем полной линейки высококачественных криогенных клапанов. Компания производит более миллиона криогенных клапанов в год, занимая значительную долю китайского рынка. Крупные китайские производители резервуаров для хранения криогенных газов, такие как CIMC Sanctum, Hangyang и Runfeng, являются нашими постоянными клиентами.

Наша продукция соответствует самым строгим стандартам, что подтверждено многими международными сертификатами, включая CE, EAC, ECM, IATF16949 и ISO 9001, которые позволили нашей продукции выйти на мировой рынок. Наша продукция представлена более чем в 20 странах по всему миру.


Несколько лет назад мы вышли на российский рынок. Благодаря высокому качеству нашей продукции и глубокому пониманию потребностей российских клиентов, наша доля на российском рынке постоянно расширяется. В настоящее время у нас есть представитель для работы с российскими клиентами. Наша цель - предоставлять клиентам в России и по всему миру высококачественную продукцию и сервис высочайшего уровня.



# НАШИ ПРЕИМУЩЕСТВА

1

- Shanghai Baitu Cryogenic Valve Co., Ltd - разработчик многих национальных стандартов криогенной промышленности: GB/T 34530.1-2017, GB/T 34530.2-2017, GB/T 15382-2021, GB/T 17926-2022.



2

- Наличие полного ассортимента криогенных клапанов с более чем 1000 артикулов и модификаций, соответствующих различным потребностям клиентов.



3

- Использование лучших материалов для производства продукции. Мы сотрудничаем только с проверенными поставщиками.




4

- 100% контроль качества продукции.



5

- Непрерывное совершенствование существующих изделий и разработка новых.



6

- Соответствие продукции международным стандартам.



7

- Наличие около 100 патентов на собственные разработки, полученные компанией с момента своего основания.



8

- Ответственность за качество продукции и удовлетворенность клиентов – наши принципы.





# ПРОИЗВОДСТВЕННЫЕ ПОМЕЩЕНИЯ И ОБОРУДОВАНИЕ



Производственный цех



Автоматизированный цех



Робот KUKA



Чистое помещение




Передовые станки с ЧПУ



# ИСПЫТАТЕЛЬНОЕ ОБОРУДОВАНИЕ



АФМТТ



Оптический спектрометр



Оборудование для ультразвуковой очистки



Испытательная камера с высокой и низкой температурой



Обнаружение утечек

## Основные виды продукции



### Криогенные клапаны




Криогенные клапаны, которые являются основной продукцией нашей компании, широко используются в оборудовании для СПГ, нефтехимии, пищевой промышленности, воздухоразделении и многих других отраслях. Многие модели криогенных клапанов Shanghai Baitu Cryogenic Valve Co., Ltd. занимают в Китае первое место по доле рынка.



# НАША ПРОДУКЦИЯ

Наши клапаны используются в криогенных баллонах, заправочных станциях СПГ, криогенных резервуарах для хранения и в установках разделения воздуха.

В зависимости от области применения наши продукты можно разделить на следующие две категории:



Продукция Shanghai Baitu Cryogenic Valve Co., Ltd. прошла сертификацию на соответствие директивам и гармонизированным стандартам Европейского союза и получила право использования знака маркировки CE.



# НАША ПРОДУКЦИЯ



Криогенные  
обратные клапаны



Криогенные  
запорные клапаны



Скоростные обратные  
клапаны



Криогенные  
предохранительные  
клапаны



Криогенные регуляторы



Порт для розлива  
СПГ



Порт возврата  
паров СПГ



Криогенные  
электромагнитные  
клапаны



Криогенная арматура

Пожалуйста,  
свяжитесь с нами  
для получения  
дополнительной  
информации.

Криогенные клапаны, используемые в основном в газификаторах и криоцилиндрах.

Для получения полной информации о продукции перейдите, пожалуйста, по ссылке:  
[https://www.baituvalves.com/download\\_catalogs](https://www.baituvalves.com/download_catalogs)



# НАША ПРОДУКЦИЯ




Криогенные  
предохранительные  
клапаны



Криогенные  
запорные клапаны




Криогенные  
обратные клапаны



Криогенные регуляторы



Криогенные аварийные  
отсечные клапаны



Криогенные диверторы



Криогенные клапаны  
высокого давления



Криогенные фильтры



Криогенные клапаны с  
вакуумной рубашкой



Заправочные устройства

Криогенные клапаны, используемые в основном в криогенном оборудовании.

Для получения полной информации о продукции перейдите, пожалуйста, по ссылке:

[https://www.baituvalves.com/download\\_catalogs](https://www.baituvalves.com/download_catalogs)

# НАША ПРОДУКЦИЯ

## Характеристики:

Номинальное давление: 4.0МПа

Номинальный диаметр: Ф10~Ф50

Рабочая температура: -196°C~+80°C

Применяемые среды: LNG,LO<sub>2</sub>,LN<sub>2</sub>,LAr,CO<sub>2</sub>

Тип соединения: Стыковая сварка

## Криогенный запорный клапан DJ61F-40P


### Основные части и материалы

|   |                                 |           |    |                                  |        |    |                       |        |
|---|---------------------------------|-----------|----|----------------------------------|--------|----|-----------------------|--------|
| 1 | Корпус                          | CF8       | 6  | Винт с внутренним шестигранником | S30408 | 11 | Шестигранная гайка    | S30408 |
| 2 | Нижняя уплотнительная прокладка | PFA       | 7  | Шток                             | S30408 | 12 | Соединительная гайка  | S30408 |
| 3 | Диск                            | S30408    | 8  | V-образное уплотнительное кольцо | PTFE   | 13 | Соединительная трубка | S30408 |
| 4 | Уплотнительная прокладка        | Мод. PTFE | 9  | Прижимная гайка                  | S30408 |    |                       |        |
| 5 | Крышка                          | S30408    | 10 | Маховик                          | Y102   |    |                       |        |

| Артикул | Размеры, мм |       |    |      |     |        |       |   | Вес, кг |
|---------|-------------|-------|----|------|-----|--------|-------|---|---------|
|         | H(HO)       | H(H3) | L  | D    | D0  | D1     | D2    | B |         |
| DJ-10A  | 221         | 215   | 60 | Ф65  | Ф13 | Ф13    | Ф17   | 4 | 0.9     |
| DJ-15A  | 257         | 248   | 65 | Ф80  | Ф15 | Ф17.08 | Ф21.3 | 5 | 1.1     |
| DJ-20A  | 263         | 254   | 80 | Ф80  | Ф20 | Ф22.48 | Ф26.7 | 5 | 1.5     |
| DJ-25A  | 295         | 282   | 90 | Ф100 | Ф25 | Ф27.9  | Ф33.4 | 5 | 2.1     |

Присоединительные размеры могут быть изменены в соответствии с потребностями заказчика.

Для получения дополнительных технических характеристик, пожалуйста, ознакомьтесь с нашим каталогом.





# НАША ПРОДУКЦИЯ

## Характеристики:

Номинальное давление: 2.0МПа

Номинальный диаметр: Ф65~Ф100

Рабочая температура: -40°C~+80°C

Применяемые среды: CNG, O<sub>2</sub>, N<sub>2</sub>, Ar, CO<sub>2</sub>

Тип соединения: Стыковая сварка

## Криогенный запорный клапан DJ61F-20P


### Основные части и материалы

|   |                                 |           |    |                                  |            |    |                       |        |
|---|---------------------------------|-----------|----|----------------------------------|------------|----|-----------------------|--------|
| 1 | Корпус                          | CF8       | 6  | Гайка                            | S30408     | 11 | Шестигранная гайка    | S30408 |
| 2 | Нижняя уплотнительная прокладка | PFA       | 7  | Шток                             | S30408     | 12 | Соединительная гайка  | S30408 |
| 3 | Диск                            | S30408    | 8  | V-образное уплотнительное кольцо | PTFE       | 13 | Соединительная трубка | S30408 |
| 4 | Уплотнительная прокладка        | Мод. PTFE | 9  | Прижимная гайка                  | S30408     |    |                       |        |
| 5 | Крышка                          | S30408    | 10 | Маховик                          | Y102/HT200 |    |                       |        |

| Артикул     | Размеры, мм |       |     |      |     |      |      | Вес, кг |
|-------------|-------------|-------|-----|------|-----|------|------|---------|
|             | H(HO)       | H(H3) | K   | D    | D0  | D1   | D2   |         |
| DJ-65G.001  | 256         | 234   | 150 | Ф140 | Ф58 | Ф70  | Ф76  | 7.5     |
| DJ-80G.001  | 303.5       | 273.9 | 182 | Ф200 | Ф72 | Ф81  | Ф89  | 11.3    |
| DJ-100G.001 | 334         | 294.4 | 226 | Ф250 | Ф90 | Ф100 | Ф108 | 18.7    |

Присоединительные размеры могут быть изменены в соответствии с потребностями заказчика.

Для получения дополнительных технических характеристик, пожалуйста, ознакомьтесь с нашим каталогом.



# НАША ПРОДУКЦИЯ

Характеристики:

Номинальное давление: 4.0МПа



Номинальный диаметр: Φ15~Φ50

Рабочая температура: -196°С~+80°С

Применяемые среды: LNG,LO<sub>2</sub>,LN<sub>2</sub>,LAr,CO<sub>2</sub>

Тип соединения: Раструбная сварка

## Криогенный аварийный отсечной клапан с вакуумной рубашкой



### Основные части и материалы

|   |                       |        |    |                       |           |    |                                 |        |
|---|-----------------------|--------|----|-----------------------|-----------|----|---------------------------------|--------|
| 1 | Маховик               | Y102   | 7  | Уплотнительное кольцо | PTFE      | 13 | Соединительная гайка            | S30408 |
| 2 | Крышка пневмоцилиндра | ADC12  | 8  | Корпус сальника       | S30408    | 14 | Диск                            | S30408 |
| 3 | Соединительный Вал    | S30408 | 9  | Крышка                | S30408    | 15 | Корпус                          | S30408 |
| 4 | Корпус пневмоцилиндра | ADC12  | 10 | Уплотнительное кольцо | Мод. PTFE | 16 | Нижняя уплотнительная прокладка | PFA    |
| 5 | Шток                  | S30408 | 11 | Фланец                | S30408    |    |                                 |        |
| 6 | Прижимная гайка       | S30408 | 12 | Направляющая втулка   | PTFE      |    |                                 |        |

| Артикул | Размеры, мм |       |     |      |     |      |   |       |     |       |      | Вес, кг |
|---------|-------------|-------|-----|------|-----|------|---|-------|-----|-------|------|---------|
|         | H           | H1    | H2  | D    | W1  | W2   | B | M     | D0  | D1    | D2   |         |
| DZQ-15C | 607         | 305   | 250 | Φ100 | 65  | Φ130 | 6 | Rc1/4 | Φ15 | Φ18.5 | Φ63  | 5.8     |
| DZQ-25C | 600.5       | 302.5 | 240 | Φ100 | 90  | Φ130 | 8 | Rc1/4 | Φ25 | Φ32.5 | Φ82  | 7.2     |
| DZQ-32C | 609.5       | 311.5 | 250 | Φ100 | 105 | Φ130 | 8 | Rc1/4 | Φ32 | Φ38.5 | Φ101 | 10      |

Присоединительные размеры могут быть изменены в соответствии с потребностями заказчика.


Для получения дополнительных технических характеристик, пожалуйста, ознакомьтесь с нашим каталогом.



# НАША ПРОДУКЦИЯ

Характеристики:  
Номинальное давление: 4.0МПа  
Рабочая температура: -196°С~+80°С  
Применяемые среды: LNG,LO<sub>2</sub>,LN<sub>2</sub>,LAr,CO<sub>2</sub>  
Коэффициент расхода: 0.66

## Предохранительный криогенный клапан DA22F-40P



| Основные части и материалы |                       |         |    |                          |         |    |            |         |
|----------------------------|-----------------------|---------|----|--------------------------|---------|----|------------|---------|
| 1                          | Пылезащитный колпачок | HPb59-1 | 6  | Крышка                   | S30408  | 11 | Диск       | HPb59-1 |
| 2                          | Верняя прокладка      | T2      | 7  | Шток                     | HPb59-1 | 12 | Уплотнение | PTFE+C  |
| 3                          | Контргайка            | HPb59-1 | 8  | Опора пружины            | HPb59-1 | 13 | Корпус     | CF8     |
| 4                          | Регулировочная гайка  | HPb59-1 | 9  | Уплотнительная прокладка | T2      | 14 | Седло      | HPb59-1 |
| 5                          | Пружина               | S30201  | 10 | Прижимное кольцо         | HPb59-1 |    |            |         |

| Артикул         | Размеры, мм |      |       |    |         |       | Диаметр | Диапазон регулировки (МПа) | Вес, кг |
|-----------------|-------------|------|-------|----|---------|-------|---------|----------------------------|---------|
|                 | H           | H1   | D0    | L  | M1      | M2    |         |                            |         |
| DA22F-40P(15C)  | 161         | 56   | Φ10.5 | 49 | M30×1.5 | M36×2 | Φ15     | 0.4~1.59                   | 0.89    |
| DA22F-40P(15C1) |             |      |       |    |         |       |         | 1.60~2.7                   | 0.89    |
| DA22F-40P(15C2) |             |      |       |    |         |       |         | 2.71~3.5                   | 0.89    |
| DA22F-40P(25C)  | 186         | 69.5 | Φ15   | 63 | M36×2   | M45×2 | Φ25     | 0.4~1.59                   | 1.38    |
| DA22F-40P(25C1) |             |      |       |    |         |       |         | 1.60~2.7                   | 1.38    |
| DA22F-40P(25C2) |             |      |       |    |         |       |         | 2.71~3.5                   | 1.38    |



Присоединительные размеры могут быть изменены в соответствии с потребностями заказчика.  
Для получения дополнительных технических характеристик, пожалуйста, ознакомьтесь с нашим каталогом.











# ВАРИАНТЫ ИСПОЛЬЗОВАНИЯ-2





# ВАРИАНТЫ ИСПОЛЬЗОВАНИЯ-3





# НАШИ СЕРТИФИКАТЫ

ZERTIFIKAT ◆ CERTIFICATE ◆ CERTIFICADO ◆ CERTIFICAT ◆ СЕРТИФИКАТ ◆ 認証証書 ◆ CERTIFICATE ◆ ZERTIFIKAT

## CERTIFICATE

The Certification Body of  
TÜV SÜD Industrie Service GmbH,  
a Notified Body of the Pressure Equipment Directive (PED),

certifies that

**Shanghai Baitu Cryogenic Valve Co., Ltd.**  
Building 5, No. 428, Changhong Road, Baoshan District,  
200949, Shanghai, China

implemented, operates and maintains a quality  
assurance system as described in the Pressure Equipment  
Directive 2014/68/EU  
Annex III, Module H

for the scope of

**Design, manufacture and sales of  
cryogenic valves including  
globe valve, air-actuated globe valve, check valve, filter valve,  
three-way ball valve, combination tank valve, pressure regulator  
(max. DN150, max. PN40)**

The audit with the report number G-CHN-PED-5010869588-001-22 proves  
that the quality assurance system fulfils the PED requirements.

The manufacturer is authorized to provide the pressure equipment  
produced within the scope of the assessed quality assurance system with  
the following Notified Body Number:

**CE 0036**

Certificate No.: DGR-0036-QS-1375-22

valid until February 17<sup>th</sup> 2025  
provided that annual surveillance audits have been performed successfully  
Filderstadt, February 21<sup>st</sup>, 2022

TÜV SÜD Industrie Service GmbH  
Ulrichsbergstr. 104  
80399 München  
Germany  
[www.tuv-sud.com/de](http://www.tuv-sud.com/de)

Tel: +49 711 73 05 366  
Fax: +49 711 73 05 582  
e-mail: [marina.john@tuv-sud.com](mailto:mailto:marina.john@tuv-sud.com)

TÜV SÜD Industrie Service - PED-QA-Certification Body - Germany



## Certificate

### Type approval

for manufacturing of  
transportable pressure equipment

Certificate No.: 01 230 644/3-23 200104

Applicant: SHANGHAI BAITU CRYOGENIC VALVE CO., LTD.  
Building 5, No. 428, Changhong Road,  
Baoshan District, Shanghai, 200949  
P.R. China

Manufacturer: see Applicant

It is confirmed that the described type is in compliance with the  
requirements of the directive 2014/68/EU.

Applicable provisions  
and standards: Dir. 2010/35/EU, in compliance with ADR/RD 2023,  
EN ISO 16297:2014+A1:2017

Description of  
the type: Cylinder valve, manually operated, Type E604, DN 4 mm,  
Test Pressure 240 bar, max. working pressure 200 bar  
working temperature -40°C / +65°C

Report No.: This approval is based on the results of the  
type examination report:  
CHN-E-230115-R dated July 07, 2023

Drawing No.: E504-00

Chemical compatibility: The evaluation of the chemical compatibility according to  
ISO 11114-1:2020 is not part of this type approval

Validity: This approval is valid for a period  
not exceeding 10 years.  
End of period: 06/2033

Dated: 22/08/2023

Signature:  
Dietrich Brandt  
Notified body for transportable pressure equipment

TÜV Rheinland Industrie Service GmbH  
Notified body for transportable pressure equipment (NB 0055)  
Am Grauen Stein, 51105 Köln, Germany

**TÜVRheinland**  
Precisely Right.



Certificate of Registration



This is to certify that the Quality Management System of:

**Shanghai Baitu Cryogenic Valves Co., Ltd.**  
Building 5, No. 428, Changhong Road, Luojing Town, Baoshan District, Shanghai City,  
201500, China  
(IATF USI: CLXYGT)

applicable to:


**The design and manufacture of cryogenic valves**

has been assessed and registered by NQA, Warwick House, Houghton Hall Park,  
Houghton Regis, Dunstable, LUS SZX, UK

against the provisions of:

**IATF 16949:2016**

This registration is subject to the company maintaining a quality management system to the  
above standard, which will be monitored by NQA.



NQA is a trading name of NQA Certification Limited. Registration No. 00311756. Registered Office: Warwick House, Houghton Hall Park, Houghton Regis, Dunstable, Bedfordshire LU5 5ZG, United Kingdom. This certificate is the property of NQA and must be returned on request.  
Revision Date Feb 2017 Page 1 of 1 Issue 5



## Quality Management System Certificate

Certificate No. 0422Q20153R1M

Uniform Social Credit Code: 91310113563072399J

This is to certify that the Quality Management System  
established by

**SHANGHAI BAITU CRYOGENIC VALVE CO., LTD**

Block 5 No.428 Changhong Road, Luojing Town, Baoshan District, Shanghai  
Registration Address: Block 5 No.428 Changhong Road, Baoshan District, Shanghai

Has complied with the requirements of

**GB/T 19001-2016 / ISO 9001:2015**

This certificate applies to the following scope:

**Design, development, producing and relevant activities of pressure  
pipeline components (valves, flame arresters), safety accessories  
(cylinder valves, emergency shut-off valves, safety valves)**

Shanghai Certification Center of Quality Technology  
(Address: No.827, Yongjia Road, Shanghai, China 200931)

Signed by: 李东

Initial Certification: 06/12/2019

Date of Issue: 06/12/2022

Date of Expiry: 05/12/2025



The Certificate's Information can be inquired on the CQCA website. (www.cqca.gov.cn)  
The Certificate will keep valid after certified organization is approved by regular surveillance audit.

## Notifica della Garanzia di Qualità Totale

Notification of the Full Quality Assurance

n. ECM 22 PED-H QT25

Rilasciato ai sensi della Direttiva 2014/68/UE - Allegato III

Issued according to 2014/68/UE Directive - Annex III

Richiedente:  
Applicant:  
Regione Sociale:  
Socio Legale:  
Requisitor:  
Description of the atmosphere:  
Description of the atmosphere:  
Description of the atmosphere:

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China



## Allegato al Certificato n.

Appendice al Certificato n.

n. ECM 22 PED-H QT25

Rilasciato ai sensi della Direttiva 2014/68/UE - Allegato III

Issued according to 2014/68/UE Directive - Annex III

Richiedente:  
Applicant:  
Regione Sociale:  
Socio Legale:  
Requisitor:  
Description of the atmosphere:  
Description of the atmosphere:  
Description of the atmosphere:

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China


Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China

Shanghai Baitu Cryogenic Valve Co., Ltd.  
Building 5, No. 428, Changhong Road, Baoshan District, Shanghai, 200949, China



# НАШИ ПАРТНЕРЫ



Мы поставляем высококачественную продукцию клиентам по всему миру, в том числе – в Россию.

Мы имеем многолетний опыт работы на российском рынке и хорошо знакомы с потребностями российских партнеров, включая требования к техническим параметрам и материалам, используемым при производстве криогенных клапанов.

*Shanghai Baitu Cryogenic Valve Co., Ltd. - обеспечение партнеров по всему миру  
высококачественными и конкурентными криогенными клапанами.*



|                                                      |                                                                  |
|------------------------------------------------------|------------------------------------------------------------------|
| Наименование                                         | Shanghai Baitu Cryogenic Valve Co., Ltd.                         |
| Главный офис, Научно-производственная база в Шанхае: | No. 460, Xingrong Road, Jiading District, Shanghai, China        |
| Официальный сайт                                     | <a href="http://www.baituvalves.com">www.baituvalves.com</a>     |
| E-mail                                               | <a href="mailto:sales@baituvalves.com">sales@baituvalves.com</a> |



**SHANGHAI BAITU**  
CRYOGENIC VALVE CO.,LTD.